

DYMO®

Make life simpler

Find the right label for the right application



HOME



OFFICE



INDUSTRIAL

www.dymo.co.za

Some things simply don't need labels...



...we'll stick to the things that do.

DYMO[®]





HOME Labelling

Omega Embosser®



Explore your artistic side and use the Omega Embossing labels to enhance your scrapbooks, photo albums or DIY projects - maybe even your craft cupboard or closet! With DYMO, it's easy to keep organised and have fun doing it.

Comfortable and easy-to-use. No batteries required making it the most affordable labelling solution available



Product Code	DS0717930
• Embosses 49 different characters including special symbols	
• Ergonomic handle with soft-touch grip for comfort	
• Balanced to stand on any worktop or workbench	
• Cuts labels with easy-peel tabs	
• Uses 9 mm wide 3D labels	
• Easy turn-and-click character selection	
• No batteries needed	
• Made of tough ABS plastic	

Created specifically for the Omega Embosser label maker, DYMO® Embossing labels are packaged in easy-to-load cassettes and feature an easy-peel backing for trouble-free application. All Embossing labels are 9mm x 3m.



DS0847730 - Carded pack of 3
DS0898130 - Each MOQ 10
PLASTIC- White on Black



DS0898150
Min order each MOQ 10
PLASTIC- White on Red



DS0847740- Carded pack of 3
DS0898140 - Each MOQ 10
PLASTIC- White on Blue



DS0898160
Min order each MOQ 10
PLASTIC- White on Green



* Plastic: 3D plastic embossing labels stick to any smooth, clean surface and are resistant to water, corrosion, abrasion and most chemicals. Whether you use them indoors or outdoors, you can count on them to last - and stay in place.





HOME Labelling

LetraTag®



The LetraTag® label makers are small, portable, and easy-to-use – ideal for quick and easy home organization. Navigation buttons allow for quick access to advanced features like multiple font styles, text sizing, date stamping and more. The graphical display allows you to see text effects on the screen before you print, plus the LT labels are available in a variety of colours and materials, so you can customize your labels to suit your needs.



A



B

A

B

LT 100H		
Product Code.	DS0883980	DS0758380
Keyboard Style	ABC	QWERTY
No. Print Styles	7	7
No. Font Sizes	5	5
No. Box Styles	8	8
No. Symbols	195	195
No. Lines	2	2
Label Memory	9	9

Created specifically for the LetraTag® label maker, DYMO® LT labels are packaged in easy-to-load cassettes and feature an easy-peel backing for trouble-free application. All LT labels are 12mm x 4m




DS0721610
PLASTIC- Black on White



DS0721620
PLASTIC- Black on Yellow



DS0721630
PLASTIC- Black on Red



DS0721650
PLASTIC- Black on Blue



DS0721640
PLASTIC- Black on Green



DS0718850
IRON ON LABEL - Black on White
12mm x 2m



DS0721510
PAPER- Black on White

* Plastic - Durable, wipeable labels for indoor use. Sweep resistant, tear resistant and user friendly. Best on flat surfaces.

** Paper - Economical labels for indoor use. Sticks on flat or round surfaces.

*** Iron-on-Machine washable labels for use on clothing and fabrics.



Be more productive today.




Stick around the office!

DYMO®



OFFICE Labelling

LabelManager®



The DYMO® LabelManager® line features an assortment of easy-to-use handheld label makers. LabelManagers make it easy to create high-quality labels for all your organizational needs. Plus, they are compact and lightweight for portability, making it easy to label just about anything, anywhere. Just type your text, format it with smart keys and simple menus, and print to start making your mark on the world!



LabelManager® 160
Easy-to-use Label Maker with Fast-Formatting Keys



LabelManager® 210D
All-Purpose Label Maker with Large Graphical Display



LabelManager® 360D
Rechargeable Desktop Label Maker



LabelManager® 420P
Standalone Label Maker for PC or Mac

	LabelManager® 160	LabelManager® 210D	LabelManager® 360D	LabelManager® 420P
Product Code	DS0946320	DS0784440	DS0879490	DS0915440
Print Resolution	180 dpi	180 dpi	180 dpi	180 dpi
Label System	D1 Standard	D1 Standard	D1 Standard	D1 Standard
Number of Print Lines	2	2	2	Unlimited
Label Widths	6mm, 9mm, 12mm	6mm, 9mm, 12mm	6mm, 9mm, 12mm 19mm	6mm, 9mm, 12mm 19mm
Number of Character Sizes	6	6	7	Unlimited
Keyboard Layout	QWERTY	QWERTY	QWERTY	ABC
Battery Type	6AAA	6AA	Rechargeable	Rechargeable
Computer Connectivity	-	-	-	PC/Mac
Memory	-	9	9	9 Unlimited * PC Connected
Copies	-	10	10	10

Which DYMO is right



LabelManager 500TS

- PC Connectable
- Barcode printer

MAXIMUM TAPE WIDTH

LabelManager Range

STANDARD



- D1 Standard Polyester Tape
- Flexible Nylon
- Permanent Polyester
- Vinyl

12mm

24mm

19mm

LabelManager 420P



- PC Connectable
- Barcode printer

LabelManager 360D



- Not PC Connectable
- Not a Barcode printer



LabelManager 160

- Not PC Connectable
- Not a Barcode printer



LabelManager 210D

- Not PC Connectable
- Not a Barcode printer



LabelManager Plug n Play

- PC Connectable
- Barcode printer

for your office?

LabelWriter Range

SPECIALITY

(Mailing/Shipping/
Address/Name Badge)



- Paper Labels durable for indoor
and/or once off use



**PRINT SPEED
(LABELS/MIN)
51 OR 71**

51 lpm



Label Writer 450

71 lpm

Single Roll




Label Writer 450 Turbo

Dual Roll



LabelWriter 450 Twin Turbo



**Label Writer 450 Duo
uses both LW and D1 Labels**



LabelManager®

160

Easy-To-Use Label Maker With One-Touch Smart Keys



Format fast with one-touch Smart Keys.

Pick up a portable, affordable DYMO LabelManager® 160 label maker – and start making your mark on the world! Just type your text, format it with one-touch Smart Keys and print – it's that easy to create professional-looking labels in and around the office.



LabelManager® 160 Features

- 1 Type text easily on the computer-style (QWERTY) keyboard
- 2 Format fast with one-touch Smart Keys for text size, bold, italic, underline/box, and vertical text
- 3 See what your label will look like before you print—preview in the large LCD display
- 4 Choose from 6 font sizes, 8 text styles, 4 boxes plus underline
- 5 Add professional impact and clarity to your labels with 228 symbols and clip art images; use quick-access key to enter punctuation
- 6 Powered by 6 AAA alkaline batteries (not included) or optional AC-adapter



1 Type




2 Format



3 Print

Label Versatility



Uses DYMO® D1 labels in 6, 9 and 12 widths



LABELS

www.dymo.co.za



D1 Labels

Standard, Permanent or Flexible...
Depend on durable DYMO labels.



Standard labels for hundreds of tasks around the office or home office, such as filing, storage, asset management, and reminders. Available in continuous label cassettes, you can create sharp, easy-to-read labels of just about any length.



Permanent labels look the same as standard labels but offer a powerful, permanent adhesive for when you want a label to stay put indefinitely.



Flexible labels are for curved and/or heavily textured surfaces and flag-marking cables. Its permanent adhesive means it will stay put.



Easy Peel



UV Resistant



Water Resistant



Temperature:
Standard: -18°C to 90°C
Permanent: -40°C to 150°C
Flexible: -10°C to 80°C

LabelManager® 160 Specifications

DS0946320

Product Code	DS0946320
Print Resolution	180 dpi
Label System	D1 Standard
Number of Print Lines	2
Label Widths	6mm, 9mm, 12mm
Number of Character Sizes	6
Keyboard Layout	QWERTY
Battery Type	6AAA
Computer Connectivity	-

D1 labels for the LabelManager® 160

Standard Removable Polyester (available in 6, 9, 12mm x 7m length)

	BLACK ▶ WHITE	RED ▶ WHITE	BLACK ▶ YELLOW	BLACK ▶ RED	BLACK ▶ CLEAR	RED ▶ CLEAR
6mm	DS0720780	-	DS0720790	-	DS0720770	-
9mm	DS0720680	DS0720700	DS0720730	DS0720720	DS0720670	-
12mm	DS0720530	DS0720550	DS0720580	DS0720570	DS0720500	DS0720520
	BLUE ▶ WHITE	WHITE ▶ BLACK	BLACK ▶ BLUE	BLACK ▶ GREEN	WHITE ▶ CLEAR	BLUE ▶ CLEAR
6mm	-	-	-	-	-	-
9mm	DS0720690	-	DS0720710	-	-	-
12mm	DS0720540	DS0720610	DS0720560	DS0720590	DS0720600	DS0720510

Flexi Nylon (available in 12mm x 3.5m)

	BLACK ▶ WHITE
12mm	DS0718040

Permanent Polyester (available in 12mm x 5.5m)

	BLACK ▶ WHITE
12mm	DS0718060





LabelManager®

D210

Basic labelling and a large screen make office labelling quick and easy


With such a smart user interface, this compact desktop label maker belongs on every desk. So versatile, it not only provides a logical labelling flow, it handles all sorts of labelling tasks professionally and quickly.



LabelManager® 210D Features:

- 1 Large graphical display let's you see text effects on screen before you print. This means no more guessing what the label will look like. "What you see is what you get"
- 2 Enjoy an intuitive labelling experience, from start to print
- 3 Quick access keys for punctuation and currency symbols
- 4 Familiar computer-style keyboard speeds text entry
- 5 Customize labels and add emphasis by choosing from 6 font sizes, 7 text styles, 8 boxes and underline
- 6 Prints up to 2 lines per label (on 9mm or 12mm)
- 7 Prints up to 10 copies of labels
- 8 9-label memory and "save text" feature
- 9 Runs on 6 AA batteries or optional AC adapter

Label Versatility



LABELS

Uses DYMO® D1 labels in 6, 9, 12mm widths.

Fast and Easy



1.Type

2.Customize

3.Print

4.Stick



www.dymo.co.za



D1 Labels

Standard, Permanent or Flexible ...
no labels are more durable.



Standard labels* for hundreds of tasks around the office or home office, such as filing, storage, asset management, and reminders. Available in continuous label cassettes, you can create sharp, easy-to-read labels of just about any length.



Permanent labels look the same as standard labels but offer a powerful permanent adhesive for when you want a label to stay put indefinitely.



Flexible labels are for curved and/or heavily textured surfaces and flag-marking cables. Its permanent adhesive means it will stay put.



Easy Peel



UV Resistant



Water Resistant



Temperature:
Standard: -18°C to 90°C
Permanent: -40°C to 150°C
Flexible: -10°C to 80°C

LabelManager® 210D Specifications

DS0784440

Product Code	DS0784440
Print Resolution	180 dpi
Label System	D1 Standard
Number of Print Lines	2
Label Widths	6mm, 9mm, 12mm
Number of Character Sizes	6
Keyboard Layout	QWERTY
Battery Type	6AA
Computer Connectivity	-

D1 labels for the LabelManager® 210D

Standard Removable Polyester (available in 6, 9, 12mm x 7m length)

6mm	DS0720780	-	DS0720790	-	DS0720770	-
9mm	DS0720680	DS0720700	DS0720730	DS0720720	DS0720670	-
12mm	DS0720530	DS0720550	DS0720580	DS0720570	DS0720500	DS0720520
6mm	-	-	-	-	-	-
9mm	DS0720690	-	DS0720710	-	-	-
12mm	DS0720540	DS0720610	DS0720560	DS0720590	DS0720600	DS0720510



Flexi Nylon (available in 12mm x 3.5m)

12mm	DS0718040

Permanent Polyester (available in 12mm x 5.5m)

12mm	DS0718060




LabelManager®

360D

Rechargeable Desktop Label Maker

More power, more features, with no more AA batteries

Powered by a lithium-ion battery – the same technology used to power cell phones and laptop computers. Charge and go unlike an AC adapter, labelling power whenever you need it. The DYMO® LabelManager® 360D label maker eliminates the inconvenience of AA batteries. Plus, get the results you want faster and easier than ever, thanks to new features inspired by consumers.

Powered by a rechargeable lithium-ion battery 



LabelManager® 360D Features:


- 1 Large 40mm x 70mm screen displays two lines of label text
- 2 Graphical display lets you see text effects on screen before you print. This means no more guessing what the label will look like. "What you see is what you get!"
- 3 Work faster with an improved user interface that displays all menu items without scrolling, and includes intuitive icons for formatting options
- 4 Customize labels and add emphasis by choosing from 3 fonts, 7 font sizes, 7 text styles, and 8 different box styles or underline
- 5 Powered by a rechargeable lithium-ion battery – the same technology used in mobile phones and laptops. Eliminates AA battery inconvenience, expense and disposal
- 6 9-label memory and "save text" feature
- 7 Print up to 10 copies of the same label
- 8 Familiar computer-style keyboard speeds text entry
- 9 Quick access to special symbols including punctuation and currency

Fast and Easy



1. Type 2. Customize 3. Print 4. Stick

Label Versatility



Uses DYMO® D1 labels in 6, 9, 12 and 19mm widths.





D1 Labels

Standard, Permanent or Flexible ...
no labels are more durable.



Standard labels for hundreds of tasks around the office or home office, such as filing, storage, asset management, and reminders. Available in continuous label cassettes, you can create sharp, easy-to-read labels of just about any length.



Permanent labels look the same as standard labels but offer a powerful permanent adhesive for when you want a label to stay put indefinitely.



Flexible labels are for curved and /or heavily textured surfaces and flag-marking cables. Its permanent adhesive means it will stay put.



Easy Peel



UV Resistant



Water Resistant



Temperature:
Standard: -18°C to 90°C
Permanent: -40°C to 150°C
Flexible: -10°C to 80°C

LabelManager[®] LM360D Specifications

DS0879490

Product Code	DS0879490
Print Resolution	180 dpi
Label System	D1 Standard
Number of Print Lines	2
Label Widths	6mm, 9mm, 12mm 19mm
Number of Character Sizes	7
Keyboard Layout	QWERTY
Battery Type	Rechargeable
Computer Connectivity	-



D1 labels for the LabelManager[®] 360D

Standard Removable Polyester (available in 6, 9, 12mm x 7m length)

	BLACK ▶ WHITE	RED ▶ WHITE	BLACK ▶ YELLOW	BLACK ▶ RED	BLACK ▶ CLEAR	RED ▶ CLEAR
6mm	DS0720780	-	DS0720790	-	DS0720770	-
9mm	DS0720680	DS0720700	DS0720730	DS0720720	DS0720670	-
12mm	DS0720530	DS0720550	DS0720580	DS0720570	DS0720500	DS0720520
19mm	DS0720830	DS0720850	DS0720880	DS0720870	DS0720820	-

	BLUE ▶ WHITE	WHITE ▶ BLACK	BLACK ▶ BLUE	BLACK ▶ GREEN	WHITE ▶ CLEAR	BLUE ▶ CLEAR
6mm	-	-	-	-	-	-
9mm	DS0720690	-	DS0720710	-	-	-
12mm	DS0720540	DS0720610	DS0720560	DS0720590	DS0720600	DS0720510
19mm	DS0720840	DS0720910	DS0720860	DS0720890	DS0720900	-

Flexi Nylon (available in 12mm x 3.5m)

	BLACK ▶ WHITE
12mm	DS0718040
19mm	DS0718050

Permanent Polyester (available in 12mm x 5.5m)

	BLACK ▶ WHITE
12mm	DS0718060
19mm	DS0718070





LabelManager®

420P

High-Performance Portable Label Maker with PC and Mac Connection

Your team is working harder,
faster, smarter.
Choose the label maker
that's built to keep up.

- 1 Use standalone – or connect via USB to your PC or Mac® and use DYMO Label™ Software to print barcodes, logos, batch labels from data files, and much more
- 2 Large 4-line backlit display – shows text effects on screen before you print
- 3 8 fonts, 7 font sizes, 10 text styles, 8 boxes plus underline
- 4 Quick access keys for currency and symbols
- 5 Powered by a rechargeable lithium-ion battery – no more disposable AA battery expense and inconvenience
- 6 Ideal for sharing – connect to any PC just plug, type and print – no software required
- 7 Uses DYMO D1 label cassettes in 6, 9, 12 and 19mm widths



Powered by a rechargeable lithium-ion battery



DYMO® Label™ Software

DYMO Label™ v.8 Works with any fonts or graphics on your computer – customize with your company logo and much more!

Multi-application Print labels from within Microsoft® Word, Excel® or Outlook®, Mac® Address Book, QuickBooks® and other programs

PC or Mac® Works with Windows® XP, Windows Vista, Windows® 7 or Mac OS® X 10.4 or later – Intel® only



www.dymo.co.za



D1 Labels

Standard, Permanent or Flexible ...
no labels are more durable.



Standard labels* for hundreds of tasks around the office or home office, such as filing, storage, asset management, and reminders. Available in continuous label cassettes, you can create sharp, easy-to-read labels of just about any length.



Permanent labels look the same as standard labels but offer a powerful, permanent adhesive for when you want a label to stay put indefinitely.



Flexible labels are for curved and/or heavily textured surfaces and flag-marking cables. Its permanent adhesive means it will stay put.



Easy Peel



UV Resistant



Water Resistant



Temperature:
Standard: -18°C to 90°C
Permanent: -40°C to 150°C
Flexible: -10°C to 80°C

LabelManager® 420P Specifications

DS0915440

Product Code	DS0915440
Print Resolution	180 dpi
Label System	D1 Standard
Number of Print Lines	Unlimited
Label Widths	6mm, 9mm, 12mm 19mm
Number of Character Sizes	Unlimited
Keyboard Layout	ABC
Battery Type	Rechargeable
Computer Connectivity	PC/Mac

D1 labels for the LabelManager® 420P

Standard Removable Polyester (available in 6, 9, 12mm x 7m length)

	BLACK ▶ WHITE	RED ▶ WHITE	BLACK ▶ YELLOW	BLACK ▶ RED	BLACK ▶ CLEAR	RED ▶ CLEAR
6mm	DS0720780	-	DS0720790	-	DS0720770	-
9mm	DS0720680	DS0720700	DS0720730	DS0720720	DS0720670	-
12mm	DS0720530	DS0720550	DS0720580	DS0720570	DS0720500	DS0720520
19mm	DS0720830	DS0720850	DS0720880	DS0720870	DS0720820	-

	BLUE ▶ WHITE	WHITE ▶ BLACK	BLACK ▶ BLUE	BLACK ▶ GREEN	WHITE ▶ CLEAR	BLUE ▶ CLEAR
6mm	-	-	-	-	-	-
9mm	DS0720690	-	DS0720710	-	-	-
12mm	DS0720540	DS0720610	DS0720560	DS0720590	DS0720600	DS0720510
19mm	DS0720840	DS0720910	DS0720860	DS0720890	DS0720900	-

Flexi Nylon (available in 12mm x 3.5m)

	BLACK ▶ WHITE
12mm	DS0718040
19mm	DS0718050

Permanent Polyester (available in 12mm x 5.5m)

	BLACK ▶ WHITE
12mm	DS0718060
19mm	DS0718070



LabelWriter®



450

450 Turbo

450 Twin Turbo

450 Duo

Print Method	Direct Thermal	Direct Thermal	Direct Thermal	Direct Thermal
Print resolution	300 dots per inch	300 dots per inch	300 dots per inch	300 dots per inch
Print speed (Labels per minute)	51	71	71	71
Maximum Print Width	56mm	56mm	56mm	56mm
Maximum Label Length	User-definable	User-definable	User-definable	User-definable
Interface	USB 2.0 Printer Class Device	USB 2.0 Printer Class Device	USB 2.0 Printer Class Device	USB 2.0 Printer Class Device
Dimensions (WHD)	124 mm x 146 mm x 184 mm		217 mm x 135 mm x 187.5 mm	139 mm x 198 mm x 185 mm
Weight	0.652 kg	1.13 kg	1.54 kg	
Warranty	Two Year Limited			
Label System	Label Writer Paper Labels			LW Labels, D1 Tapes *

Black on White

DS0722540 LW MultiPurpose Labels 57mmx32mm (1000 Labels)
 DS0722400 LW Address Labels 36mmx89mm (260 Labels)
 DS0722430 LW Shipping/Name Badge Labels 54mmx101mm (220 Labels)
 DS0722440 LW Shipping/Name Badge Labels 54mmx101mm (320 Labels)
 DS0722520 LW Address Labels 25mmx54mm (500 Labels)
 DS0722560 LW Shipping/Name Badge Labels 41mmx89mm (300 Labels)
 DS0722370 LW Address Labels 28mmx89mm – (130 Labels)
 DS0722460 LW Suspension File Folder Labels 12mmx50mm (130 Labels)

Yellow, Pink, Blue, Green

DS0722380 LW Address Labels Assorted Colour 28mmx89mm (4 x 130 Labels)

Clear Plastic

DS0722410 LW Address Labels 36mmx89mm (260 Labels)

* Compatible with DYMO D1 Labels (width 6, 9, 12, 19, 24mm) refer to page 20 for the available range

Address Labels

Elizabth Lemeke
 Company Name
 123 Main Street
 Anytown, SA 12345-6789

Sharpie

Wynand Muller
 Company Name
 123 Main Street
 Anytown, SA 12345-6789

ROLODEX

Craig Jenek
 Company Name
 123 Main Street
 Anytown, SA 12345-6789

Paper Mate

123 Main Street
 Anytown, SA 12345-6789

Postage

Alet Swart
 123 Main Street
 Anytown, SA 12345-6789

Rehana Moolla
 Company Name
 123 Main Street
 Anytown, SA 12345-6789

Shipping Labels

PARKER

Mark Dingle
 Company Name
 123 Main Street
 Anytown, SA 12345-6789

DYMO®

Company Name
 123 Main Street
 Anytown, SA 12345-6789

Aruna Desai
 Company Name
 123 Main Street
 Anytown, SA 12345-6789

File Folder Labels

Accounts Payable



Name Badge Labels

VISITOR

Jolyn Miller
 September 5



Eastern Elementary School

VISITOR
 Sifiso Mhlanga

Monday, October 12, 2009 9:45AM



Multipurpose Labels

Your next dental appointment

December 3, 2009 at 2:00PM
 with Dr. C Barnard

Please let us know if you cannot make this appointment



LabelWriter Label Swatch

DS0722400
LW Address Labels 36mmx89mm (260 Labels)

DS0722410
LW Address Labels 36mmx89mm (260 Labels)
Clear Plastic

DS0722540
LW MultiPurpose Labels 57mmx32mm (1000 Labels)

DS0722520
LW Address Labels 25mmx54mm (500 Labels)

DS0722430
LW Shipping/Name Badge Labels 54mmx101mm (220 Labels)
DS0722440
LW Shipping/Name Badge Labels 54mmx101mm (320 Labels)

DS0722560
LW Shipping/Name Badge Labels 41mm x 89mm (300 Labels)

DS0722370
LW Address Labels 28mm x 89mm – (130 Labels)

DS0722380
LW Address Labels 28mmx89mm (4 x 130 Labels)
Yellow, Pink, Blue and Green

DS0722460
LW Suspension File Folder Labels
12mmx50mm (130 Labels)



Got your wires crossed!



Get DYMO to organise your mess



Rhino[™] Industrial

Advanced Labeling Tool

Leave **any job** looking better than you found it.

Designed based on input from professional installers, DYMO[®] industrial labellers and labels are tough, affordable and long-lasting. They're loaded with convenient features that speed up your productivity – and help you save time and money every day.

The Rhino[™] Product Line-up:



Rhino[™] 4200



Rhino[™] 6000



Rhino[™] M1011

Thermal transfer printing means labels won't smudge, smear or fade. Choose up to a one-inch label width in a broad assortment of materials and colours that meet OSHA, ANSI, and ISO standards.

All DYMO Industrial labels are distributed from an easy-to-load cartridge, and with a split-back design, peeling and applying is quick and easy.



DYMO Industrial Labels

DYMO Industrial Labels are available in:

- Flexible Nylon
- Permanent Polyester
- Indoor/Outdoor Vinyl
- Heat-Shrink Tube
- Non-Adhesive Tag

* Available on request

Complete your work with pride and professionalism.

No matter what industry you work in, DYMO® Industrial products give your installation work a clean, professional look that enhances your reputation. Our label printers and labels make it easier than ever to get results that meet industry standards – as well as yours. All our products stand up to the toughest conditions your industry can dish out.

One-touch "Hot Keys" — a DYMO exclusive — save you time.



Wire & Cable Wraps

Advanced wrap function automatically selects the right label and text size, based on the wire gauge, cable diameter or cable type.



Panels & Blocks

Instantly format and serialize labels for patch panels, terminal blocks and modular components.



Flags

Create perfectly spaced flag labels allowing visibility from any angle.



Fixed-Length & Vertical

Fixed-length key automatically centers and prints fixed-length labels to your requirements. With the press of a button, align text vertically for easy-to-read labels.



Electrical Features

Pre-formatted for creating electrical panel, breaker, and module labels.



Symbols & Terms Library

Provides fast access to common datacom, electrical, pro AV, security and safety symbols; including: ohms, earth, phone, data and fax. Select and print 150+ industry terms from a built-in library.



Printer Selection Guide

Rhino™



Overview	Rhino 4200 Product code: DS1852992	Rhino 6000 Product code: DS0771930
Barcodes	Code 39 + Code 128	6
Patch Panels	-	YES
110 Blocks	-	YES
Terminal Blocks	-	YES
Flags & Cable Wraps	YES	YES
Fixed & General	YES	YES
Breakers & Modules	YES	YES
Serialization	Simple	Advanced
Pre-programed Symbol Library	YES	YES
Pre-programed Term Library	YES	YES
Customizable Library	YES	YES
Memory	25 Labels	1000 Labels
Li-ion Rechargeable Battery	Capable	Capable
Cutter Type	Manual	Manual
Keyboard Type	QWERTY	QWERTY
Backlit Display	YES	YES
Integrated Rubber Bumper	Partial	Full
Multi-Label View	YES	YES
Lanyard Loop	-	YES
Number of Styles	5	5
Maximum Lines of Print	5	5
Number of Character Sizes	7	7
Printing Process	Thermal Transfer	Thermal Transfer
Print Resolution	180 dpi	180 dpi
Languages	20	20
Weight	907grams	1814grams
Tape System	Rhino Industrial + D1 Standard Labels	Rhino Industrial + D1 Standard Labels
Tape width in inches	6, 9, 12, 19mm	6, 9, 12, 19, 24mm

Outperforms industrial labellers costing twice as much.

The portable, affordable Rhino 5200 saves you time and money on every job! Press one "Hot Key" to format text into perfect patch panel labels; press another to print matching cable flags or face plate tags, without retyping! It's just as easy to print cable wraps, terminal/110 block labels, barcodes & more.

DYMO Rhino 5200 features:

- 1 Meets all ANSI and TIA/EIA-606-A industry labelling standards
- 2 Exclusive one-touch "Hot Keys" automatically size, space and format label text for electrical and patch panels, terminal and 110 blocks, wire and cable flags, wire and cable wraps, vertical and fixed-length applications
- 3 Prints Code 39 and Code 128 barcodes on 19mm -wide labels – ideal for asset management
- 4 Uses DYMO Industrial labels with chemical-, heat- and UV-resistant materials; also prints directly on heat-shrink tubes and non-adhesive labels
- 5 Large 14-character, two-line backlit display
- 6 100-label memory for storing commonly used labels



Capable

Up to

3/4"
19 mm

Product Code : DS0841460

RHINO 5200 SINGLE UNIT

Box includes:

- Rhino 5200 printer
- 19mm white flexible nylon tape
- Quick Reference Guide
- User Manual on CD-rom



Rhino™ 5200 Kit Hot Keys



Breaker/Module



Code 39/Code 128



Wire/Cable/Flag



Rotate/Align



General/Fixed



Easy to navigate computer-style QWERTY keyboard

Quick and comfortable text entry

Labelling tool that gets it done fast

The RHINO 6000 is an ideal labelling tool for datacomm, professional Audio/Video, security and electrical systems, as well as all types of labelling throughout commercial buildings, factories, warehouses, and even homes.

The RHINO 6000 Label Printer is the first printer in the RHINO product family to offer PC connectivity. The installer can either create labels before reaching the worksite by downloading files from any Windows-based software program or they can create or edit labels while when they reach the worksite.

Rhino 6000 Features:

- 1 Intuitive Graphical Interface - Create, edit and preview multiple labels on our largest backlit LCD
- 2 One-Touch, Power-Assisted Cutter - Eliminate the fatigue of manual cutting and increase efficiency
- 3 Hot Keys - Eliminate guesswork, complicated menus and enjoy fast and easy formatting of commonly-used label types
- 4 Symbols - Over 100 pre-programmed industry symbols
- 5 Save Your Labels - Customize over 1,000 labels with logos and symbols and recall them instantly
- 6 Quick-Charge Li-Ion - Rechargeable Battery with on-screen battery life indicator
- 7 Library - Over 150 pre-programmed industry terms and the ability to customise your own library of terms
- 8 Powerful Serialization - Built-in wizards for simple and advanced serialization
- 9 Integrated Impact Bumpers - Protects against harsh conditions while allowing easy access to label cartridge



Product Code : DS0771930






RHINO 6000 SINGLE UNIT

Box includes:

- Rhino 6000 printer
- Rhino connect software
- Durable hard carry case
- 24mm black on white flexible nylon label
- 9mm black on white vinyl label cartridge
- Rechargeable lithium-ion battery pack
- AC adaptor and USB cable



Rhino™ 6000 Kit Hot Keys

-  Breaker/Module
-  Code 39/Code 128
-  Wire/Cable/Flag
-  Rotate/Align
-  General/Fixed




Easy to navigate computer-style QWERTY keyboard

Quick and comfortable text entry

Rhino 6000 printer

The right label for virtually every situation and surface.



Indoor/Outdoor Vinyl

For general labelling or extreme conditions. Vinyl labels offer moisture, chemical and UV resistance, making them ideal for labeling both indoors and outdoors. Available in the widest range of colours that adhere to OSHA, ANSI and ISO color standards.

UL recognized as a component to UL 969

Flexible Nylon

For labelling wires, cables and rounded surfaces. Flexible Nylon labels conform and stick tightly to wires, cables, curved and textured surfaces. Tear-proof material resists damage when pulled through tight spaces or conduits.

UL recognized as a component to UL 969

Permanent Polyester

For labelling panels, blocks, faceplates, shelves, bins, beams and more. Permanent Polyester labels have a polished finish that leaves your work looking professional. Available in smaller widths that fit most patch panels, blocks and other distribution panels.

UL recognized as a component to UL 969

Heat-Shrink Tube

For high-end cable identification. A 3:1 shrink ratio helps ensure a secure fit on wires and cables. Print directly on Heat-Shrink Tubes with any DYMO Industrial labelling tool.











Meets MIL-M-81531, MIL-STD-202G, SAE-DTL- 23053/5 (Class 1 & 3)
UL recognized as a component to UL 224

Non-Adhesive Tag

For sliding into racks or faceplates that do not require adhesive. Made from polyester for increased durability.

All DYMO Industrial labels are RoHS compliant.

How to choose the right DYMO Industrial label:

ENVIRONMENT	 Heat/Cold Resistant	 UV Light Resistant	 Oil Resistant	 Water Resistant	 Chemical Resistant	 Color Coding
SURFACE						
 Cable/Wire	Flexible Nylon Heat-Shrink Tube	Indoor/Outdoor Vinyl Heat-Shrink Tube	Indoor/Outdoor Vinyl Heat-Shrink Tube	Indoor/Outdoor Vinyl Heat-Shrink Tube	Indoor/Outdoor Vinyl Heat-Shrink Tube	Indoor/Outdoor Vinyl
 Curved Surface	Flexible Nylon Indoor/Outdoor Vinyl	Indoor/Outdoor Vinyl Flexible Nylon	Indoor/Outdoor Vinyl	Indoor/Outdoor Vinyl Flexible Nylon	Indoor/Outdoor Vinyl	Indoor/Outdoor Vinyl
 Flat Surface	Permanent Polyester Flexible Nylon	Permanent Polyester Indoor/Outdoor Vinyl	Permanent Polyester Indoor/Outdoor Vinyl	Permanent Polyester Indoor/Outdoor Vinyl	Permanent Polyester Indoor/Outdoor Vinyl	Indoor/Outdoor Vinyl
 Textured Surface	Permanent Polyester Flexible Nylon	Indoor/Outdoor Vinyl Permanent Polyester	Indoor/Outdoor Vinyl Permanent Polyester	Indoor/Outdoor Vinyl Permanent Polyester	Indoor/Outdoor Vinyl Permanent Polyester	Indoor/Outdoor Vinyl

Top = Best Option Bottom = Alternate Option

DYMO® Industrial labels

Widths and colours



Labels that stick and stay stuck.

DYMO Industrial labels are tough— jobsite tested and UL recognized. Labels won't smear or fade and are built with industrial-strength adhesives to resist moisture, UV light and extreme temperatures. Whether you are labeling to OSHA, ISO and ANSI colour standards or labeling in harsh conditions, DYMO Industrial labels have you covered. DYMO Industrial labels are designed to work exclusively with Rhino- printers and to perform on a variety of surfaces.

IND	LABEL APPLICATIONS	LABEL COLOR	Width				
			6 mm	9 mm	12 mm	19 mm	24 mm
VINYL - UL Recognized Component to UL969 - RoHS compliant Length 5.5m	BLACK ON WHITE	-	18443	DS18444	DS18445	*1805430	
	BLACK ON YELLOW	-	-	*18432	*18433	*1805431	
	BLACK ON ORANGE	-	-	*18435	*18436	*1805427	
	BLACK ON GREY	-	-	*1805413	*1805419	*1805425	
	WHITE ON RED	-	-	*1805416	*1805422	*1805429	
	WHITE ON BLACK	-	*1805437	*1805435	*1805436	*1805432	
	WHITE ON GREEN	-	-	*1805414	*1805420	*1805426	
	WHITE ON BLUE	-	-	*1805243	*1805417	*1805423	
	WHITE ON PURPLE	-	-	*1805415	*1805421	*1805428	
WHITE ON BROWN	-	-	*1805412	*1805418	*1805424		
PERMANENT POLYESTER - UL Recognized Component to UL969 - RoHS compliant Length 5.5m	BLACK ON WHITE	*1805442	18482	*18483	18484	*1734523	
	BLACK ON CLEAR	*1805440	*18508DMO	*622289	*622290	*1805433	
	BLACK ON METALLIC	*1805441	*18485	*18486	*18487	*1805434	
HEAT-SHRINK TUBE - UL Recognized Component to UL224 - Meets MIL-STD-202G, MIL-M-81531 & SAE-DTL 23053/5 (Class 1 & 3) - RoHS compliant Length 1.5m	BLACK ON WHITE	DS18051	DS18053	DS18055	DS18057	-	
	BLACK ON YELLOW	DS18052	DS18054	DS18056	DS18058	-	
FLEXIBLE NYLON - UL Recognized Component to UL969 - RoHS compliant Length 3.5m	BLACK ON WHITE	-	-	18488	*18489	*1734524	
	BLACK ON YELLOW	-	-	*18490	*18491	*1734525	
NON-ADHESIVE TAG - RoHS compliant Length 5.5m	BLACK ON WHITE	*18111	-	*18113	-	-	

*Available on request only.



Innovation that began over 40 years ago and continues today.

The Rhino™ M1011 embosses 12mm stainless steel and aluminum labels – with or without adhesive – that resist corrosion due to extreme weather, temperature, chemical, and UV exposure. This tough, durable embosser features an easy-to-use label cutting handle (cuts rounded edges), hole and cable tie punches, a trailing edge measuring gauge, and much more.

DYMO Rhino M1011 features:

- 1 Uses 12mm Stainless Steel & Aluminum labels
- 2 Built-in hole punch for creating hanging, screw-on or nail-on labels
- 3 Built-in cable tie slot punch for cable marking
- 4 Built-in measuring gauge – accurately set length of leading and trailing label edge
- 5 Easy-to-use cutting handle makes cutting stainless steel labels effortless - Cuts square or rounded edges
- 6 Print mirror script labels with included reverse image character wheel



Item No: 1011-05

RHINO M1011 KIT

Box includes:

- Rhino M1011 Metal Tape Embosser
- Horizontal .188" Character Wheel
- Reverse Image Wheel
- 12mm Non-Adhesive Aluminum Tape
- 12mm Non-Adhesive Stainless Steel Tape
- Hard Carry Case

Rhino M1011 Embossing Labels For heavy-duty, extreme condition labelling.

Aluminum and stainless steel labels have excellent resistance to chemicals, extreme weather conditions, high and low temperatures and abrasion. Ideal for marking pipelines, underground cables, engine parts, building materials and much more.

Metal Labels (Box of 10 Rolls)			12 mm
Part #	Description	Length	Color
DS31000	Non-Adhesive Aluminum (12mm)	(4,80m)	Aluminium
DS32500	Non-Adhesive Stainless Steel (24mm)	(6,40m)	Stainless
DS35800	Adhesive Aluminum (12mm)	(3,65m)	Aluminium

www.dymo.co.za

